STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES


AMENDED REPORT

					DIVISION O		GAS AND M				AWEND	ED REPOR		
APPLICATION FOR PERMIT TO DRILL								1. WELL NAME and NUMBER GMBU 104-5-9-17						
2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPE					ELL DEEPEN	I WELL				3. FIELD OR WILDCAT MONUMENT BUTTE				
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO							5. UNIT or COMMUNITIZATION AGREEMENT NAME GMBU (GRRV)							
6. NAME OF OPERATOR NEWFIELD PRODUCTION COMPANY								7. OPERATOR PHONE 435 646-4825						
NEWFIELD PRODUCTION COMPANY 8. ADDRESS OF OPERATOR Rt 3 Box 3630 , Myton, UT, 84052									9. OPERATOR E-MAIL mcrozier@newfield.com					
	AL LEASE NUM		THE S BOX SOC			NERAL OWNERSHIP				12. SURFACE OWNERSHIP				
(FEDERAL, INDIAN, OR STATE) UTU-020252 FEDERAL					FEDERAL IND	DERAL INDIAN STATE FEE			FEDERAL INDIAN STATE FEE					
13. NAME	OF SURFACE	OWNER (if box 12	= 'fee')							14. SURFACE OWNER	PHONE ((if box 12	= 'fee')	
15. ADDRI	ESS OF SURFA	CE OWNER (if box	12 = 'fee')							16. SURFACE OWNER	E-MAIL	(if box 12	= 'fee')	
	N ALLOTTEE O	R TRIBE NAME			. INTEND TO COMMINGLE PRODUCTION FROM					19. SLANT				
(if box 12 = 'INDIAN')					ULTIPLE FORMATIONS YES (Submit Commingling Application) NO ()	VERTICAL DIRECTIONAL HORIZONTAL				
20. LOCA	TION OF WELL	-		FOOTA	AGES	SES QTR		R-QTR SECT		TOWNSHIP	RA	NGE	МЕ	RIDIAN
LOCATION AT SURFACE 483 FSL				183 FSL (663 FWL	63 FWL SWSW		32		8.0 S	17.	.0 E		S
Top of U	ppermost Prod	lucing Zone		122 FSL (660 FWL	0 FWL SWSW		32		8.0 S	17.	.0 E		S
At Total Depth 182 FNL				82 FNL 6	660 FWL	60 FWL NWNW		5		9.0 S	17.	.0 E		S
21. COUN	TY	DUCHESNE	-	22.	2. DISTANCE TO NEAREST LEASE LINE (Feet)				23. NUMBER OF ACRES IN DRILLING UNIT					
25.				25. (Ap	5. DISTANCE TO NEAREST WELL IN SAME POOL Applied For Drilling or Completed) 842					26. PROPOSED DEPTH MD: 6298 TVD: 6258				
27. ELEVATION - GROUND LEVEL 28				28.	B. BOND NUMBER WYB000493					29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 437478				
					Hole, Casing,	, and C	Cement Info	rmation						
String	Hole Size	Casing Size	Length	Weigh	t Grade & Th	read	Max Mud Wt.			Cement		Sacks	Yield	Weight
Surf	12.25	8.625	0 - 300	24.0			8.3			Class G		138	1.17	15.8
Prod	7.875	5.5	0 - 6298	15.5	J-55 LT&	kC	8.3	Premi		mium Lite High Strength 50/50 Poz		363	1.24	11.0
										30/30 1 02		303	1.24	14.4
					Α-	TTACH	HMENTS							
	VER	RIFY THE FOLLO	WING ARE A	TTACHE	D IN ACCORDAN	ICE WI	TH THE UT	AH OIL ANI	D GAS	CONSERVATION G	ENERAL	RULES		
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER					COMPLETE DRILLING PLAN									
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)					FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER									
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALL				ONTALLY DRILLED)	NTALLY DRILLED) TOPOGRAPHICAL MAP				,					
NAME Mandie Crozier				TITLE Regulatory Tech			РНО	PHONE 435 646-4825						
SIGNATURE					DATE 01/21/2013			ЕМА	EMAIL mcrozier@newfield.com					
API NUMBER ASSIGNED 43013519770000					APPROVAL			E	Balgill					
									Pe	rmit Manager				

T8S, R17E, S.L.B.&M. S89°01'58"W S88°58'52"W - 2634.04' (Meas.) Aluminum Cap 2650.85' (Meas.) 1910 1910 Brass Cap Brass Cap LOT 1 ,01 NOO°56' 544.56' WELL LOCATION: NO1.00.18 104-5-9-17 LOT 5 FLEV. FXIST. GRADED GROUND = 5245° LOT 3 LOT 4 1910 1910 Brass Cap Brass Cap LOT 8 LOT 6 LÒT LOT 10 Top of LOT 9 663 1910 1910 LOT 11 Brass Cap Brass Cap N88°53'46"E - 2641.95' (Meas.) 2642.21' (Meas.) Corner Proportioned S88°56'47"W Center (Not Set) of Pattern Bottom of Hole NAD 83 (SURFACE LOCATION) BASIS OF ELEV; Elevations are based on LATITUDE = 40°04'06.47" LONGITUDE = 110°02'14.95" an N.G.S. OPUS Correction. LOCATION: NAD 27 (SURFACE LOCATION) LAT. 40°04'09.56" LONG. 110°00'43.28" LATITUDE = $40^{\circ}04'06.60'$ (Tristate Aluminum Cap) Elev. 5281.57'

NEWFIELD EXPLORATION COMPANY

WELL LOCATION, 104-5-9-17, LOCATED AS SHOWN IN THE SW 1/4 SW 1/4 OF SECTION 32, T8S, R17E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Center of Pattern bears S00°33'56"E 507.62' from the Top of Hole.



= SECTION CORNERS LOCATED


THIS IS TO CERTIFY THAT OF ABOVE PERT WAS PREPARED FROM FIELD FORES OF ACTUME SURVEYS MADE BY ME OR UNDER MY SUPPRISON AND THAT THE SAME ARE TRUE AND SORRECT TO THE BEST OF MY KNOWLEDGE OF BEING. 189377 STACY W. 8

REGISTERED LAND SURVEYOR REGISTRA ON NO. STEWART OF STATE OF STAMP OF

TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 11-05-12	SURVEYED BY: Q.M.	VERSION:
DATE DRAWN: 11-06-12	DRAWN BY: F.T.M.	\ /1
REVISED:	SCALE: 1" = 1000'	V I




NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, 104-5-9-17, LOCATED AS SHOWN IN THE NW 1/4 NW 1/4 (LOT 5) OF SECTION 5, T9S, R17E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Center of Pattern footages are 25' FNL & 660' FWL.



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

DATE SURVEYED: 11-05-12	SURVEYED BY: Q.M.	VERSION:
DATE DRAWN: 11-06-12	DRAWN BY: F.T.M.	\/1
REVISED:	SCALE: 1" = 1000'	VI